

For research use only

Anti Mouse FRG Polyclonal Antibody

FGD-1-related Cdc42 guanine nucleotide exchange factor

Package Size $100\mu g$ ($400\mu L / vial$)

Format Rabbit polyclonal antibody 0.25mg/mL

Buffer PBS [containing 2% Block Ace as a stabilizer, 0.1% Proclin as a bacteriostat]

Storage Store below -20


Once thawed, store at 4 . Repeated freeze-thaw cycles should be avoided.

Purification method This antibody was purified from rabbit serum immunized with synthesized partial

peptide of mouse FRG by peptide affinity chromatography.

Working dilution For Western blotting ; $3\mu g/mL$

For Immunoprecipitation; 1µg



Western blotting

Sample : 1., Mouse-derived cell lysate

3T3-L1 NIH-3T3

2. Transgenic HEK293T cell lysate

mock mouse FRG human FRG

Preparation of antibodies and instruction:

Dr. Ito H. at Division of Signal Transduction, Graduate School of Biological Sciences Nara Institute of Science and Technology

Anti Mouse FRG Polyclonal Antibody

FGD-1-related Cdc42 guanine nucleotide exchange factor

[Reference]

1. Miyamoto Y. et al. : J Biol Chem. 2003 Aug 8;278(32):29890-900.

Manufacturer



7-1-14 Minatojimaminami-machi, Chuo-ku, Kobe, Japan 650-0047 Telephone: +81-78-306-0295 FAX:+81-78-306-0296 URL:http://www.transgenic.co.jp techstaff@transgenic.co.jp